



Rotary Bin Dischargers BINSWEEP™




COMFORTABLE AND CLEAN BAG EMPTYING

BINSWEEP™ solves space problems when emptying bulk materials from bags and transferring them to downstream processing equipment. While bags can be ripped open and tipped in a comfortable working position, BINSWEEP™ ensures accurate, low-residue emptying of bulk solids.

The BINSWEEP™ Rotary Discharger is an efficient discharging device for a wide range of powders and granular materials. Its low height reduces the overall dimensions of the unit. Silent operation is ensured by rubber scrapers.



Overall Dimensions




TYPE	A (mm)	B (mm)	C (mm)	D (mm)	E (mm)	Nbr. of G	Ø G (mm)	F	kW	RPM
BSN075	910	810	300	169	50	12	16.5	30°	1.1 - 1.5	14
BSN090	1,075	1,020	359	194	50	12	16.5	30°	1.1 - 1.5	14

Dimensions in mm

Benefits



Easy to clean




Minimum space requirement



Low maintenance costs due to equipment components with high wear resistance



Continuous, uniform discharging




Reliable inverter-controlled feeding



Technical support and worldwide availability of spare parts thanks to WAMGROUP® subsidiary network

Technical Features

- Body material: carbon steel, 304 L / 316 L stainless steel
- Scrapper material: EPDM or food-grade NBR
- Low operating noise level
- Available with double outlet (OPTION)



Industries



Drymix Processing



Glass Processing



Flour Milling



Animal Feed Milling



Food Processing



Plastics Processing



Chemicals



Paint Processing



Environmental Technology




Ceramics Production

Application



203001803 May 2022 Rights reserved to modify technical specifications.



This brochure has been edited for distribution in European Union countries.

